

SCHEDA TECNICA / TECHNICAL SHEET
COMPRESSA FORTEMENTE ASSORBENTE

HIGHLY ABSORBENT PAD

STERILE
CND: M040201
CARATTERISTICHE GENERALI / GENERAL SPECIFICATION

Descrizione	Compressa in TNT + cellulosa, Fortemente Assorbente
Composizione	Cellulosa + Polipropilene + SMS
Classe di appartenenza	Dispositivo medico di "Classe I"
Sterilità	Prodotto fornito STERILE – sterilizzato tramite processo a EtO
Lattice	Assente
PVC	Assente
Produttore	Bastos Viegas P.O. Box 24, 4564-909 – Penafiel, Portugal TEL +351255729500 – Fax +351 255729501 E-mail: basvig@mail.telepac.pt http://www.bastosviegas.com
Modalità di conservazione	Il prodotto va conservato in luogo fresco, asciutto, lontano da fonti di calore, al riparo da polveri, all'interno della confezione originale, lontano da fiamme libere ed al riparo della luce solare diretta. Le caratteristiche del dispositivo sono garantite a confezione integra.
Vita utile del prodotto	5 anni

IMBALLAGGIO / PACKAGING

IMBALLAGGIO PACKAGING	TIPOLOGIA TYPE	ETICHETTATURA STICKERS
Imballo primario Primary package	Busta Carta-Film Peel-pack	Con stampa identificativa del prodotto With product identification print
Imballo secondario Secondary package	Box Dispenser Box Dispenser	Con etichetta identificativa del prodotto With product identification label
Cartone trasporto Transport Carton	Cartone trasporto di tipo ondulato Transport carton type wavy	Con etichetta identificativa del prodotto With product identification label

CODICI RIORDINO / ITEM CODES

LOTTO e RIFERIMENTO	CODICI MEDIBERG	CODICI PRODUTTORE	DIMENSIONI [cm x cm]	PESO COMPRESSA [g/m ²]	IMBALLO PRIMARIO (PEZZI PER BUSTA)	IMBALLO SECONDARIO (PEZZI PER BOX DISPENSER)	CARTONE TRASPORTO (PEZZI)
Lotto 35 – Rif.159	16GRN1010COTS	485999501	10 x 10	5,2 ± 2	1	60	600
Lotto 35 – Rif.160	16GRN1020COTS	485999503	10 x 20	10,2 ± 2	1	30	300
Lotto 35 – Rif.161	16GRN2020COTS	485999507	20 x 20	19,2 ± 2	1	30	180

ST 978-M – Emission Date – 29th Apr. 2014	Quality Control:		Quality Assurance:		Page 1 of 1
Rev. 00 – Rev. Date – 29th Apr. 2014	Luca Levati		Mirko Castelli		

Technical Specifications

Brand:



Description: Absorbent dressing pad

Final dimensions:	10 cm x10 cm
Composition:	Cellulose, Polypropylene nonwoven, SMS polypropylene nonwoven.
Internal dimensions:	12,00 cm x 10,00 cm x 1 ply
Threads sq/cm:	Absorbent pads
Latex:	Free
PVC:	Free
Re use:	No
Weigth per piece:	5,2 ± 2 g
Length variation:	±10 mm
Width variation:	± 5 mm
Colour:	white/ blue
Sterilized by:	Ethylene Oxide
Shelf life:	60 months
CFU/g	N.A.

STERILE EO



Nr and Revision Date:	18 -- 2013/03/12
CE Class:	IEE
CE mark:	CE0120
Directive:	MDD 93/42/ EEC amended by 2007/47/EC

Applicable norms:	EN ISO 13485:2012 ; EN ISO 9001:2008 ; EN ISO 11737-1:2009 ; EN ISO 11737-2:2009 ; EN 556-1:2004 ; EN ISO 13726-2:2002 ; EN ISO 14971:2012 ; EN ISO 10993-1:2010 ; EN ISO 10993-7:2009 ; ISO 11135-1:2007 ; ISO 11135-2:2008 ; EN 1422:2009 ;
--------------------------	---

PACKING

Level	Units	Type	Dimension	Stamp	Labels
1	1	Peel-pack	134x140mm	stamped	
2	60	Folding box	142x315x150mm		labeled
3	600	Carton box	780x285x315mm		labeled

Storage instructions	Store in a dry place at room temperature and protect from sunlight. The product has a good stability and therefore, normal conditions of medical devices storage shall apply
Waste instructions	No special requirements. The waste must be disposed according to local legal regulations for the disposable of medical waste.

WASTE AND ENVIRONMENT REGULATIONS	Weight (gr) of packing material used in 100 pcs	544
--	---	-----

ISSUED BY: Quality Management Department, 2014/04/23

CONFIDENTIAL: The information contained herein is confidential and belongs to Bastos Viegas, sa, whom provided it only for specific purposes and in connection with established agreements. It is not permitted disclosure, reproduction, copying or distribution, in whole or in part, for other purposes or to any third parties.

Technical Specifications

Brand:



Description: Absorbent dressing pad

Final dimensions:	20 cm x10 cm
Composition:	Cellulose, Polypropylene nonwoven, SMS polypropylene nonwoven.
Internal dimensions:	21,00 cm x 10,00 cm x 1 ply
Threads sq/cm:	Absorbent pads
Latex:	Free
PVC:	Free
Re use:	No
Weigth per piece:	10,2 ± 2 g
Length variation:	±10 mm
Width variation:	± 5 mm
Colour:	white/ blue
Sterilized by:	Ethylene Oxide
Shelf life:	60 months
CFU/g	N.A.

STERILE EO



Nr and Revision Date:	16 -- 2013/03/12
CE Class:	IEE
CE mark:	CE0120
Directive:	MDD 93/42/ EEC amended by 2007/47/EC

Applicable norms:	EN ISO 13485:2012 ; EN ISO 9001:2008 ; EN ISO 11737-1:2009 ; EN ISO 11737-2:2009 ; EN 556-1:2004 ; EN ISO 13726-2:2002 ; EN ISO 14971:2012 ; EN ISO 10993-1:2010 ; EN ISO 10993-7:2009 ; ISO 11135-1:2007 ; ISO 11135-2:2008 ; EN 1422:2009 ;
-------------------	---

PACKING

Level	Units	Type	Dimension	Stamp	Labels
1	1	Peel-pack	134x140mm	stamped	
2	30	Folding box	142x315x150mm		labeled
3	300	Carton box	780x285x315mm		labeled

Storage instructions	Store in a dry place at room temperature and protect from sunlight. The product has a good stability and therefore, normal conditions of medical devices storage shall apply
Waste instructions	No special requirements. The waste must be disposed according to local legal regulations for the disposable of medical waste.

WASTE AND ENVIRONMENT REGULATIONS

Weight (gr) of packing material used in 100 pcs

833

ISSUED BY: Quality Management Department, 2014/04/23

CONFIDENTIAL: The information contained herein is confidential and belongs to Bastos Viegas, sa, whom provided it only for specific purposes and in connection with established agreements. It is not permitted disclosure, reproduction, copying or distribution, in whole or in part, for other purposes or to any third parties.

Technical Specifications

Brand:



Description: Absorbent dressing pad

Final dimensions:	20 cm x20 cm
Composition:	Cellulose, Polypropylene nonwoven, SMS polypropylene nonwoven.
Internal dimensions:	21,00 cm x 20,00 cm x 1 ply
Threads sq/cm:	Absorbent pads
Latex:	Free
PVC:	Free
Re use:	No
Weight per piece:	19,2 ± 2 g
Length variation:	±10 mm
Width variation:	± 5 mm
Colour:	white/ blue
Sterilized by:	Ethylene Oxide
Shelf life:	60 months
CFU/g	N.A.

STERILE EO



Nr and Revision Date:	16 -- 2013/03/12
CE Class:	IEE
CE mark:	CE0120
Directive:	MDD 93/42/ EEC amended by 2007/47/EC
Applicable norms:	EN ISO 13485:2012 ; EN ISO 9001:2008 ; EN ISO 11737-1:2009 ; EN ISO 11737-2:2009 ;

EN 556-1:2004 ; EN ISO 13726-2:2002 ; EN ISO 14971:2012 ; EN ISO 10993-1:2010 ;
EN ISO 10993-7:2009 ; ISO 11135-1:2007 ; ISO 11135-2:2008 ; EN 1422:2009 ;

PACKING

Level	Units	Type	Dimension	Stamp	Labels
1	1	Peel-pack	134x240mm	stamped	
2	30	Folding box	142x315x250mm		labeled
3	180	Carton box	780x285x315mm		labeled

Storage instructions	Store in a dry place at room temperature and protect from sunlight. The product has a good stability and therefore, normal conditions of medical devices storage shall apply
Waste instructions	No special requirements. The waste must be disposed according to local legal regulations for the disposable of medical waste.

WASTE AND ENVIRONMENT REGULATIONS	Weight (gr) of packing material used in 100 pcs	1309
--	---	------

ISSUED BY: Quality Management Department, 2014/04/23

CONFIDENTIAL: The information contained herein is confidential and belongs to Bastos Viegas, sa, whom provided it only for specific purposes and in connection with established agreements. It is not permitted disclosure, reproduction, copying or distribution, in whole or in part, for other purposes or to any third parties.