



**PRODUCT NUMBER: 4150064**

## **ARACUT SLEEVE 14**

Protection of the forearm against cuts.

**Honeywell**

### Overview

**Reference Number**

4150064

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Building and Construction
- Glass Industries
- Iron and steel industry
- Metal steel
- Paper Industries
- Ship Building
- Wood Industries

**Product Use**

Protection of the forearm against cuts.

### Features & Benefits

**Feature**

2 ply Kevlar® thread knitted sleeve

Thumbhole

**Benefit**

COMFORT

The knitting technique helps to obtain a cuff close to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The reinforced thumb gives the cuff better support.

RESISTANCE

## ARACUT SLEEVE 14 - 4150064

The Kevlar® fibre offers good cutting resistance and protection against thermal hazards (contact with heat). Doubly thick, the cuff's mechanical and thermal performance is greater.

### SAFETY

Its length of 36cm ensures vast protection of the forearm.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 EEC Basic standards

EN 388-2003 Mechanical hazards

EN 407-2004 Thermal hazards

### CHARACTERISTICS :

2 ply Kevlar® thread knitted sleeve

Thumbhole

### Product Technology

Knitted

### Gauge

10

### Coating Type

Kevlar®

### Length

35 cm

### Harmlessness

In conformity with the European standards

### Sizes

Unique size

## EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	1
Cutting resistance	3
Tear resistance	2
Puncture resistance	X

## Packaging Label

### Tagging

CE HONEYWELL

4150064 XX

EN 420

EN 388 : 132X

EN 407 : X1XXXX

## Certifications

 **E.C. Declaration of Conformity**

**EC Category PPE**

2

**EC Certificate Number**

0075/797/162/07/12/0584 - Ext. 02/05/09

**EC Attestation**

 EC Attestation

**EC Attestation Number**

0075/797/162/07/12/0584

## Additional Information

**User Manual**

UI 106

**User Information Sheet**

106

## Maintenance

**Storage Information**

Minimum packaging 10 units.

Cartons of 100 units.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

*Keep in its packaging, away from direct light and dampness.*